NIO EL6



PRIJSLIJST

NEDERLAND

Please find the
English Version
below

06/2023 - Versie 1.0

NIO EL6

Overzicht

Prijzen & Opties

- Voertuig & Accu
- Velgen & Remklauwen
- Exterieur- & Interieurkleuren
- Comfortpakket
- Lounge-stoel
- NOMI
- Verdere opties

Subscription-varianten

- Beschikbare varianten
- Beschikbare kleurencombinaties

Standaarduitrusting

- Specificaties
- Prestaties
- E-Aandrijflijn
- Laadkabels
- Onderstel
- Exterieur
- Interieur
- Climate Control
- Stoelen
- Smart Cockpit
- Assisted and Intelligent Driving Hardware
- Assisted and Intelligent Driving Features
- Veiligheid
- Standaard accessoires

NIO eL6

Prijzen & Opties

NIO EL6

Voertuig & Accu

Voertuig
(inclusief accu)

Merk	Model	Aandrijving	Vermogen (kW/pk)	Accu-capaciteit (kWh)	WLTP-range (km)	CO2-uitstoot	Netto-catalogusprijs*	BTW	BPM	Fiscale waarde	Consumenten-adviesprijs**
NIO	EL6	AWD	360/490	75	406	0	€ 54.934,71	€ 11.536,29	€ 0	€ 66.471	€ 67.900
NIO	EL6	AWD	360/490	100	529	0	€ 62.372,73	€ 13.098,27	€ 0	€ 75.471	€ 76.900

Voertuig met BaaS
(in combinatie met Battery-as-a-Service)

Merk	Model	Aandrijving	Vermogen (kW/pk)	Accu-capaciteit (kWh)	WLTP-range (km)	CO2-uitstoot	Netto-catalogusprijs*	BTW	BPM	Fiscale waarde	Consumenten-adviesprijs**
NIO	EL6	AWD	360/490	75	406	0	€ 45.017,36	€ 9.453,64	€ 0	€ 66.471	€ 55.900
NIO	EL6	AWD	360/490	100	529	0	€ 45.017,36	€ 9.453,64	€ 0	€ 75.471	€ 55.900

BaaS-abonnement per maand (Battery-as-a-Service)

Accucapaciteit (kWh)	Netto	BTW	Totaal	Bruto prijs accu
75	€ 140	€ 29	€ 169	€ 12.000
100	€ 239	€ 50	€ 289	€ 21.000

* Netto-catalogusprijs en consumentenadviesprijs van voertuig met BaaS (Battery-as-a-Service) zijn exclusief accu.

** Consumentenadviesprijs bevat rijklaarmaakkosten t.w.v. € 1.429,00 incl. btw. De rijklaarmaakkosten bevatten o.a. volle accu, transportkosten, reinigen binnen- en buitenkant, logistieke afhandeling, twee kentekenplaten en een afleverinspectie. Recyclingbijdrage auto (€ 22,50 incl. btw), recyclingbijdrage accu (€65,00 incl. btw), kentekenregistratie (€ 43,40 btw-vrij) en tenaamstelling (€ 11,40 btw-vrij).

NIO EL6

Velgen & Remklauwen



20" Black Cyclone lichtmetalen velgen

Met 255/50 R20 Low Rolling Resistance & Noise-Reducing banden	Standaard



20" Snowflake lichtmetalen velgen

Met 255/50 R20 Low Rolling Resistance & Noise-Reducing banden	€ 500



21" Whirlwind lichtmetalen velgen (nog niet beschikbaar)

Met 265/45 R21 Low Rolling Resistance & Noise-Reducing banden	€ 1.500



21" Acutus Carbon Fiber lichtmetalen velgen

Met 265/45 R21 Self-Sealing & Noise-Reducing banden	€ 2.500

Kleur remklauwen voor & achter



Black	Standaard



Airglow Orange	€ 500

Alle optieprijzen zijn incl. btw.

NIO EL6

Exterieurkleuren



Deep Black
€ 0



Star Grey
€ 0



Cloud White
€ 0



Stratosphere Blue
€ 0



Airspace Blue
€ 1.680



Arctic Green
€ 1.680



Southern Star
€ 1.680



Luminous Orange
€ 1.680



Galaxy Shadow
€ 1.680



Sunlight Gold
€ 1.680

Interieurkleuren



Warm Gravel



Onyx Black



K2 Grey



Sepia Brown

Interieur	Hemelbekleding	Smart Key	
Warm Gravel	Black	White	€ 0
Onyx Black	Black	Black	€ 0
K2 Grey	Black	White	€ 0
Sepia Brown	Black	White	€ 800

NIO EL6

Comfortpakket

- Verlichte instaplijsten
- Stuurwielverwarming
- Stoelventilatie voor
- Massagefunctie voor
- Stoelverwarming achter
- Slim geursysteem

€ 1.500

Volledig Comfortpakket

- Comfortpakket
- Stoelventilatie achter
- Massagefunctie achter

€ 2.250

Lounge-stoel



Lounge-passagiersstoel

- 14-voudig elektrisch verstelbaar
- 4-voudige lendensteunverstelling
- In lengte verstelbaar zitvlak
- Beenondersteuning
- Voetensteun

€ 1.000

NIO EL6


NOMI



NOMI Halo — Standaard



NOMI Mate — € 600



Verwarmde ruitenwissers

Verwarmde zone rondom de ruitenwissers voor het sneller ontdooien van ijs — € 150



Trailerpakket

Elektrisch uitklapbare trekhaak (max. trekgewicht 1.200 kg, kogeldruk 75 kg) incl. Trailer Mode voor aangepaste voertuiginstellingen — € 1.200

NIO EL6

Subscription-varianten

NIO eL6

Beschikbare varianten

	Base	Premier
Accucapaciteit	75 kWh	100 kWh
Velgen & Banden	20" Black Cyclone lichtmetalen velgen met 255/50 R20 Low Rolling Resistance banden	21" Acutus Carbon Fiber lichtmetalen velgen met 265/45 R21 Self-Sealing & Noise-Reducing banden
Kleur remklauwen	Black	Airglow Orange
Volledig Comfortpakket	Niet inbegrepen	Inbegrepen
Lounge-stoel	Niet inbegrepen	Inbegrepen
NOMI	NOMI Halo	NOMI Mate
Verwarmde ruitenwissers	Inbegrepen	Inbegrepen
Trailerpakket	Niet inbegrepen	Inbegrepen

Beschikbare kleurencombinaties

Exterieur	Interieur	Hemelbekleding	Smart Key
Deep Black	Onyx Black	Black	Black
Cloud White	Onyx Black	Black	Black
Galaxy Shadow	Sepia Brown	Black	White
Stratosphere Blue	Warm Gravel	Black	White
Sunlight Gold	Warm Gravel	Black	White
Arctic Green	K2 Grey	Black	White

NIO eL6

Standaarduitrusting

NIO EL6

Specificaties



2.303 kg
Ledig gewicht met 75 kWh accu

2.323 kg
Ledig gewicht met 100 kWh accu

579 l
Inhoud bagageruimte
Met neergeklapte achterbank: 1.430 l
Ondervloer: 89 l

0,25
Weerstandscoëfficiënt (Cd)

Additionele specificaties:

Zitplaatsen	5	Spoorbreedte voor	1.711 mm
Lengte	4.854 mm	Spoorbreedte achter	1.711 mm
Breedte	2.212 mm	Draaicirkel	12,2 m
Breedte (spiegels ingeklapt)	1.995 mm	Bodemvrijheid (beladen)	165 mm
Hoogte	1.703 mm	Toegestane max. massa	2.843 kg
Wielbasis	2.915 mm	Max. laadvermogen	540 kg (75 kWh) 520 kg (100 kWh)

De bovenstaande informatie is alleen voor informatieve doeleinden. Alle gegevens zijn gehomologeerde gegevens of technische schattingen die kunnen verschillen als gevolg van verschillende testfactoren zoals locatie, weer- en wegomstandigheden, accuniveau, lading, banden etc.

NIO eL6

Prestaties



4,5 s
0–100 km/u

200 km/u
Topsnelheid

Intelligent E-AWD

5 Basis rijmodi
- Eco
- Comfort
- Sport
- Sport+
- Custom

4 Scenario-gebaseerde rijmodi
- Snow
- Sand
- Wet
- Trailer (met Trailerpakket)

De bovenstaande informatie is alleen voor informatieve doeleinden. Alle gegevens zijn gehomologeerde gegevens of technische schattingen die kunnen verschillen als gevolg van verschillende testfactoren zoals locatie, weer- en wegomstandigheden, accuniveau, lading, banden etc.

NIO eL6

E-Aandrijflijn

360 kW / 490 pk
Max. vermogen

700 Nm
Max. koppel

150 kW / 204 pk
Electric Drive System (EDS) voor

210 kW / 286 pk
Electric Drive System (EDS) achter

0
CO_2-uitstoot*

75 kWh accu

WLTP-actieradius	Tot 406 km
Max. laadvermogen	11 kW AC / 140 kW DC
Snellaadtijd	10 – 80%: 30 min

100 kWh accu

WLTP-actieradius	Tot 529 km
Max. laadvermogen	11 kW AC / 125 kW DC
Snellaadtijd	10 – 80%: 40 min

* Energieverbruik (WLTP): 20,4 - 22,1 kWh/100km. Alle CO2-emissies en overige waardes gerelateerd aan het verbruik zijn opgegeven volgens de wettelijk geldende procedures. Alle waardes zijn op basis van de Worldwide harmonized Light vehicles Test Procedure (WLTP). Het praktijkverbruik wijkt af van de WLTP-opgaves door unieke situaties als rijgedrag, weersomstandigheden of belasting van het voertuig. Voor meer informatie omtrent tips omtrent efficient rijden kijk op www.hetnieuwerijden.nl.

NIO EL6

Laadkabels

Portable Charger

Standaard	IEC Type 2
Ingangsspanning	230 V AC 1 fase
Max. stroomsterkte	10 A
Max. laadvermogen	2,3 kW
Lengte	6,5 m
Gewicht	2,5 kg

- Laden met 10A (2,3 kW) aan een standaard stopcontact
- LED-lampjes die de laadstatus aangeven
- 6,5 m kabel voor flexibele toepassing
- Met overspannings-, aardlek- en oververhittingsbeveiliging

Mode 3 Public Charging Cable

Standaard	IEC Type 2
Ingangsspanning	400 V 3 fase
Max. stroomsterkte	32 A
Max. laadvermogen	22 kW
Lengte	7 m
Gewicht	5,2 kg

- Geleverd met klittenband voor eenvoudig bundelen en dragen
- Gemaakt van hittebestendige en brandvertragende materialen

NIO EL6

Onderstel



- Carrosserie van hoogwaardig staal en aluminium
- Integraal gegoten volledig aluminium achtervloer
- 50:50 voor- en achterasbelastingsverhouding
- Five-Link voorwielophanging
- Multi-Link achterwielophanging
- Continuous Damping Control (CDC)
- Electric Power Steering (EPS)
- Intelligent Smooth Stop (ISS)
- NIO-remklauwen voor met 4 zuigers
- Zwevende remklauwen met enkele zuiger achter
- Regeneratief remsysteem
- Electric Parking Brake (EPB) & Autohold

NIO EL6


Exterieur



- Moon exterieurpakket
- Dual-Beam LED-koplampen
- Adaptieve Matrix LED-koplampen
- Adaptief grootlicht
- Adaptief koplampsysteem
- Auto-Leveling koplampen
- Double-Dash LED-dagrijverlichting
- Adaptieve LED-mistlampen
- Dynamische LED-richtingaanwijzers
- illumiBlade-achterlicht
- Elektrisch panoramaschuifdak met zonnescherm
- Auto-Flush-deurgrepen
- Soft-Close-deuren
- Elektrische achterklep met voetsensor
- Smart Charge-aansluiting (linksachter)
- Privacyglas achter
- Gelamineerd akoestisch glas
- UV- en warmtewerend glas
- Verwarmde buitenspiegels
- Elektrisch inklapbare buitenspiegels
- Automatisch dimmende buitenspiegels
- Surround Lights buitenspiegels
- Automatische ruitenwissers met regensensor
- Ruitenwissers met sproeikop
- Dakrails (max. daklast 75 kg)

NIO EL6

Interieur



- Duurzaam Rattan interieurelementen
- Clean+ Composite & Haptex® interieur
- Microfiber hemelbekleding
- Microfiber stuurwiel
- Elektrisch verstelbaar stuurwiel
- Driespaaks sportstuurwiel
- LED-leeslampjes
- Ambient Lighting in 256 kleuren
- Extra grote en verlichte make-upspiegels
- Automatisch dimmende binnenspiegel
- Metalen dorpelplaat achterklep
- Open opbergruimte middenconsole
- Smart Safe Box
- Kofferbakopslag ondervloer
- Hoedenplank
- Ladingsverankeringen
- 1x USB Type-A-aansluiting (2,5 W)
- 3x USB Type-C-aansluiting (60 W)
- 2x 12V-aansluiting (voor en achter)
- 2x ISOFIX

NIO EL6

Climate Control



- Automatic Climate Control met 3 zones
- Warmtepompsysteem
- Slimme onzichtbare ventilatieroosters
- Slim luchtkwaliteitssysteem
- Ionisator
- PM2,5-sensor
- Antimicrobieel en anti-allergeen actieve koolstof luchtfilter

NIO EL6

Stoelen



- Stoelbekleding van duurzaam Haptex® lederlook
- 14-voudig elektrisch verstelbare voorstoelen met 4-voudige lendensteunverstelling en in lengte verstelbaar zitvlak
- 4-voudig verstelbare Aviation-hoofdsteunen voor
- Luchtkussensysteem voor
- Voorstoelen met geheugenfunctie en Easy Entry
- Stoelverwarming voor
- 2-voudig verstelbare hoofdsteunen achter
- Elektrisch verstelbare rugleuning achter
- Multifunctionele middenarmsteun achter
- In delen neerklapbare achterbank (40:20:40)

NIO eL6

Smart Cockpit



- 10.2" HDR digitaal instrumentenpaneel
- 12.8" AMOLED centrale display
- Enhanced Head-Up Display
- 6.6" HDR touch display achter
- 7.1.4 Immersive Sound System (23 speakers, 1.000 W, Dolby Atmos)
- EP Sound Effect [1]
- Slimme cabinecamera
- Draadloze oplader (Qi, max. 40 W)
- 4K Dash Cam
- Remote Connectivity Control
- Smart Car Finder
- 4G-netwerk
- DAB/Online DAB
- Wi-Fi 6.0
- Bluetooth
- Ultra-Wideband (UWB)
- Digital Key
- 1x UWB Smart Key
- 1x NFC Key Card
- Firmware Over-the-Air (FOTA)
- NIO Auto Maps (navigatie, actuele verkeersinformatie, zoekfunctie)
- 3rd-Party Service-integratie
- User Account System
- NIO Call & eCall

NIO EL6

Assisted and Intelligent Driving Hardware



NIO Adam
Super Computing

NIO Aquila
Super Sensing

---

33 sensoren met hoge prestaties:

- 1x Hoge-resolutie-LiDAR met extra groot bereik
- 7x 8 MP hoge-resolutiecamera
- 4x 3 MP camera met hoge gevoeligheid
- 1x Advanced Driver Monitoring System (ADMS)
- 5x Millimeter-Wave-radar
- 12x Ultrasone sensor
- Hands-Off Detection (HOD)
- 2x High-Precision Positioning Unit

NIO eL6

Assisted and Intelligent Driving Features



- Forward Collision Warning (FCW)
- Autonomous Emergency Braking (AEB)
- Blind Spot Detection (BSD)
- Lane Change Alert (LCA)
- Door Open Warning (DOW)
- Rear Cross Traffic Alert with Brake (RCTA-B)
- Front Cross Traffic Alert (FCTA)
- Lane Departure Warning (LDW)
- Lane Keeping Assist (LKA)
- Emergency Active Stop (EAS)
- Emergency Lane Keeping (ELK)
- Advanced Driver Monitoring System (ADMS)
- Intelligent Adaptive Cruise Control (i-ACC)
- Traffic Sign Recognition (TSR)
- Dynamic Environment Simulation & Display (ESD)
- Shiftless Automatic Parking Assist with Fusion (S-APA with Fusion)
- Power Swap with Assisted Parking (PSAP)
- Side Distance Indication System (SDIS)
- Lane Centering Control (LCC)
- Active Lane Change (ALC)
- Go Notifier
- Nearby Summon [1]
- Remote Parking Assistant (RPA) [1]

NIO EL6

Veiligheid



- 2x Airbags voor
- 2x Zij-airbags voor
- 2x Gordijnairbags
- Airbag middenvoor
- 360° HD Surround View System
- Parkeersensoren voor en achter
- Guardian Mode [1]
- Doorzichtig chassis
- Direct Tire Pressure Monitoring System (dTPMS)
- Elektrisch kinderslot
- Alarmsysteem
- Voetgangerswaarschuwingssysteem
- Anti-Lock Braking System (ABS)
- Electronic Brake-force Distribution (EBD)
- Traction Control System (TCS)
- Electronic Stability Control (ESC)
- Emergency Brake Assist (EBA)
- Hill Start Assist (HSA)
- Dynamic Wheel Torque Control (DWT)
- Cornering Brake Control (CBC)
- Hill Descent Control (HDC)
- Roll Stability Control (RSC)

NIO eL6

Standaard accessoires



- Vloermatten
- Geurenset (3 flacons, alleen bij Comfortpakket)
- Bandenreparatieset [2]
- EHBO-kit
- Gevarendriehoek
- Veiligheidsvest
- Sleepoog

1. Geselecteerde functies worden vrijgegeven via Firmware Over-the-Air.

2. Bandenreparatieset bevat bandenafdichtmiddel en luchtpomp.

NIO EL6

Garantie

Basis

60 maanden / 150.000 km

Accu

96 maanden / 160.000 km

Anti-corrosie

120 maanden / onbeperkt km

Uitgebreid NIO-aanbod

Wieluitlijning

Na de eerste 6 maanden / 5.000 km

Slijtage van onderdelen

Type 1*	**Type 2****	**Type 3*****
6 maanden / 10.000 km	12 maanden / 20.000 km	36 maanden / onbeperkt km

* Filter airconditioning, ruitenwisser

** Remblok, sleutelbatterij, zekering en relais (zonder ontsteking)

*** 12V-hulpaccu


Duur of kilometerstand, wat het eerst komt. De garantieperiodes zijn te vinden in het ICS (centrale display) van het betreffende model.

NIO EL6

Bandenlabels

Productinformatieblad

Gedelegeerde Verordening (EU) 2020/740			
Naam of handelsmerk leverancier			**GOODYEAR**
Handelsbenaming			**EAGLE F1 ASYMMETRIC 3 SUV**
Bandentypeaanduiding	Bandenklasse	**588527**	**C1**
Bandenmaataanduiding			**255/50R20**
Snelheidscategoriesymbool			**V 240 km/h**
Belastingsindex			**109**
Belastingsversie			**XL**
Brandstofefficiëntieklasse			**A**
Klasse grip op nat wegdek			**A**
Rolgeluidemissieklasse	Rolgeluidemissiewaarde	**A**	**69 dB**
Band voor gebruik bij zware sneeuwval			**No**
Band voor gebruik bij zware ijscondities			**No**
Datum aanvang productie (Week / Jaar)			**10/22**
Datum beëindiging productie (Week / Jaar)			**-**
Adres van de leverancier			**Goodyear EPREL Customer Support, Ave nue Gordon Smith, 7750 Colmar-Berg, LU**
Aanvullende informatie			




NIO EL6

Bandenlabels

Productinformatieblad

Gedelegeerde Verordening (EU) 2020/740			
Naam of handelsmerk leverancier			**MICHELIN**
Handelsbenaming			**PILOT SPORT 4 SUV A FRV**
Bandentypeaanduiding	Bandenklasse	**140314**	**C1**
Bandenmaataanduiding			**265/45R21**
Snelheidscategoriesymbool			**W 270 km/h**
Belastingsindex			**108**
Belastingsversie			**XL**
Brandstofefficiëntieklasse			**A**
Klasse grip op nat wegdek			**B**
Rolgeluidemissieklasse	Rolgeluidemissiewaarde	**B**	**72 dB**
Band voor gebruik bij zware sneeuwval			**No**
Band voor gebruik bij zware ijscondities			**No**
Datum aanvang productie (Week / Jaar)			**26/21**
Datum beëindiging productie (Week / Jaar)			**-**
Adres van de leverancier			**Service Consommateurs Michelin, Place des Carmes-Déchaux 23, 63000 Clermont-Ferrand, FR**
Aanvullende informatie			**265/45 R21 108W XL PILOT SP ORT 4 SUV ACOUSTIC FRV MI**





NIO EL6

Bandenlabels

Productinformatieblad

Gedelegeerde Verordening (EU) 2020/740			
Naam of handelsmerk leverancier			**PIRELLI**
Handelsbenaming			**PZERO**
Bandentypeaanduiding	Bandenklasse	**42329**	**C1**
Bandenmaataanduiding			**265/45R21**
Snelheidscategoriesymbool			**V 240 km/h**
Belastingsindex			**108**
Belastingsversie			**XL**
Brandstofefficiëntieklasse			**B**
Klasse grip op nat wegdek			**A**
Rolgeluidemissieklasse	Rolgeluidemissiewaarde	**A**	**70 dB**
Band voor gebruik bij zware sneeuwval			**No**
Band voor gebruik bij zware ijscondities			**No**
Datum aanvang productie (Week / Jaar)			**50/22**
Datum beëindiging productie (Week / Jaar)			**-**
Adres van de leverancier			**Pirelli Contact Center, Viale Piero e Alberto Pirelli 25, Milan, IT**
Aanvullende informatie			





nio.com/el6

Disclaimer: Alle informatie in deze prijslijst is gebaseerd op de specificaties van de auto's zoals die van toepassing waren bij publiceren van deze prijslijst. De uitrusting of technische specificaties kunnen per markt verschillen. Impressies in deze prijslijst zijn onderdeel van wereldwijd materiaal en kunnen voorzien zijn van opties die niet leverbaar zijn in Nederland. Raadpleeg altijd onze klantenservice of bezoek ons als je vragen hebt over de specificaties. Wijzigingen, druk- en zetfouten voorbehouden.

Neem voor meer informatie contact op met je NIO Specialist, stuur een e-mail naar contact.nl@nio.io of bel 00 8000 999 6699.

NIO EL6



PRICE LIST

THE NETHERLANDS

06/2023 - Version 1.0

NIO EL6

Overview

Sales Prices & Options

- Vehicle & Battery
- Wheels & Calipers
- Exterior & Interior Colors
- Comfort Package
- Lounge Seat
- NOMI
- Further Options

Subscription Variants

- Available Variants
- Available Color Combinations

Standard Features

- Specifications
- Performance
- E-Powertrain System
- Charging Cables
- Chassis System
- Exterior Features
- Interior Features
- Climate Control System
- Seat System
- Smart Cockpit
- Assisted and Intelligent Driving Hardware System
- Assisted and Intelligent Driving Features
- Safety Features
- Standard Accessories

NIO eL6

Sales Prices & Options

NIO EL6

Vehicle & Battery

Vehicle
(including battery)

Brand	Model	Drive	Power (kW/pk)	Battery capacity (kWh)	WLTP range (km)	CO2 emission	Net list price*	VAT	BPM	Fiscal value	Consumer price**
NIO	EL6	AWD	360/490	75	406	0	€ 54,934.71	€ 11,536.29	€ 0	€ 66,471	€ 67,900
NIO	EL6	AWD	360/490	100	529	0	€ 62,372.73	€ 13,098.27	€ 0	€ 75,471	€ 76,900

Vehicle with BaaS
(in combination with Battery-as-a-Service)

Brand	Model	Drive	Power (kW/pk)	Battery capacity (kWh)	WLTP range (km)	CO2 emission	Net list price*	VAT	BPM	Fiscal value	Consumer price**
NIO	EL6	AWD	360/490	75	406	0	€ 45,017.36	€ 9,453.64	€ 0	€ 66,471	€ 55,900
NIO	EL6	AWD	360/490	100	529	0	€ 45,017.36	€ 9,453.64	€ 0	€ 75,471	€ 55,900

BaaS subscription per month (Battery-as-a-Service)

Battery capacity (kWh)	Net	VAT	Total	Gross price battery
75	€ 140	€ 29	€ 169	€ 12,000
100	€ 239	€ 50	€ 289	€ 21,000

* Net list price and consumer price of vehicle with BaaS (Battery-as-a-Service) do not include battery price.

** Consumer price includes delivery costs of € 1,429.00 incl. VAT. The delivery costs include a full battery, transport costs, interior and exterior cleaning, logistic handling, two license plates and a delivery inspection. Recycling fee car (€ 22.50 incl. VAT), recycling fee battery (€ 65.00 incl. VAT), license plate fee (€ 43.40 VAT-free) and name registration fee (€ 11.40 VAT-free).

NIO EL6

Wheels & Calipers



20" Black Cyclone Alloy Wheels

With 255/50 R20 Low Rolling Resistance & Noise-Reducing Tires — Standard



20" Snowflake Alloy Wheels

With 255/50 R20 Low Rolling Resistance & Noise-Reducing Tires — € 500



21" Whirlwind Alloy Wheels (not yet available for order)

With 265/45 R21 Low Rolling Resistance & Noise-Reducing Tires — € 1,500



21" Acutus Carbon Fiber Alloy Wheels

With 265/45 R21 Self-Sealing & Noise-Reducing Tires — € 2,500

Front & Rear Brake Caliper Color



Black — Standard



Airglow Orange — € 500

All Option Prices including VAT.

NIO EL6

Exterior Colors



Deep Black
€ 0



Star Grey
€ 0



Cloud White
€ 0



Stratosphere Blue
€ 0



Airspace Blue
€ 1,680



Arctic Green
€ 1,680



Southern Star
€ 1,680



Luminous Orange
€ 1,680



Galaxy Shadow
€ 1,680



Sunlight Gold
€ 1,680

Interior Colors



Warm Gravel



Onyx Black



K2 Grey



Sepia Brown

Interior	Headliner	Key Fob	
Warm Gravel	Black	White	€ 0
Onyx Black	Black	Black	€ 0
K2 Grey	Black	White	€ 0
Sepia Brown	Black	White	€ 800

NIO EL6

Comfort Package

- Illuminated Door Sill Inlays
- Steering Wheel Heating
- Front Seat Ventilation
- Front Seat Massage
- Rear Seat Heating
- Smart Fragrance System

€ 1,500

Full Comfort Package

- Comfort Package
- Rear Seat Ventilation
- Rear Seat Massage

€ 2,250

Lounge Seat



Passenger Lounge Seat

- 14-Way Power Adjustment
- 4-Way Lumbar Support
- Power Cushion Extension
- Leg Support
- Footrest

€ 1,000

NIO eL6


NOMI



NOMI Halo — Standard



NOMI Mate — € 600



Heated Wiper Bay

Fast Ice Thawing in Windshield Wiper Docking Area — € 150



Trailer Package

Electrically Deployable Tow Bar (1,200 kg Towing Capacity, 75 kg Towing Hook Load Capacity) incl. Trailer Mode — € 1,200

NIO EL6

Subscription Variants

NIO eL6

Available Variants

	Base	Premier
Battery	75 kWh	100 kWh
Wheels	20" Black Cyclone Alloy Wheels with 255/50 R20 Low Rolling Resistance Tires	21" Acutus Carbon Fiber Alloy Wheels with 265/45 R21 Self-Sealing & Noise-Reducing Tires
Caliper Color	Black	Airglow Orange
Full Comfort Package	Not Included	Included
Lounge Seat	Not Included	Included
NOMI	NOMI Halo	NOMI Mate
Heated Wiper Bay	Included	Included
Trailer Package	Not Included	Included

Available Color Combinations

Exterior	Interior	Headliner	Key Fob
Deep Black	Onyx Black	Black	Black
Cloud White	Onyx Black	Black	Black
Galaxy Shadow	Sepia Brown	Black	White
Stratosphere Blue	Warm Gravel	Black	White
Sunlight Gold	Warm Gravel	Black	White
Arctic Green	K2 Grey	Black	White

NIO eL6

Standard Features

NIO EL6

Specifications



2,303 kg
Curb Weight with 75 kWh Battery

2,323 kg
Curb Weight with 100 kWh Battery

579 l
Cargo Volume
With Rear Seats Folded: 1,430 l
Underfloor Storage: 89 l

0.25
Drag Coefficient (Cd)

Additional Specifications:

Seating	5	Front Track	1,711 mm
Length	4,854 mm	Rear Track	1,711 mm
Width	2,212 mm	Turning Circle	12.2 m
Width (Mirrors Folded)	1,995 mm	Ground Clearance (Laden)	165 mm
Heigth	1,703 mm	Gross Vehicle Weight	2,843 kg
Wheelbase	2,915 mm	Maximum Payload Capacity	540 kg (75 kWh) 520 kg (100 kWh)

The above information is for informational purposes only. All data is homologated data that may differ due to different test factors such as location, weather, road conditions, battery level, load, tires etc.

NIO EL6

Performance



4.5 s
0–100 km/h

200 km/h
Top Speed

Intelligent E-AWD

5 Basic Drive Modes
- Eco
- Comfort
- Sport
- Sport+
- Custom

4 Scenario-Based Drive Modes
- Snow
- Sand
- Wet
- Trailer (with Trailer Package)

The above information is for informational purposes only. All data is homologated data that may differ due to different test factors such as location, weather, road conditions, battery level, load, tires etc.

NIO eL6

E-Powertrain System

360 kW / 490 hp
Maximum Power

700 Nm
Maximum Torque

150 kW / 204 hp
Electric Drive System (EDS) Front

210 kW / 286 hp
Electric Drive System (EDS) Rear

0
CO_2-Emissions*

75 kWh Battery

WLTP Range	Up to 406 km
Maximum Charge Power	11 kW AC / 140 kW DC
Fast Charge Time	10 – 80%: 30 min

100 kWh Battery

WLTP Range	Up to 529 km
Maximum Charge Power	11 kW AC / 125 kW DC
Fast Charge Time	10 – 80%: 40 min

* Energy Consumption (WLTP): 20.4 - 22.1 kWh/100km. All CO_2 emissions and other values related to consumption are specified according to the legally applicable procedures. All values are based on the Worldwide harmonized Light vehicles Test Procedure (WLTP). The actual consumption differs from the WLTP specifications due to unique situations such as driving behaviour, weather conditions or vehicle load. For more information about tips on efficient driving, visit www.hetnieuwerijden.nl.

NIO EL6

Charging Cables

Portable Charger

Standard	IEC Type 2
Input Voltage	230 V AC single-phase
Nominal Current	10 A
Nominal Power	2.3 kW
Cable Length	6.5 m
Weight	2.5 kg

- Charge with 10A (2.3 kW) at standard household sockets
- LED lights indicating the charging status
- 6.5 m cable for flexible application
- With surge, grounding and overheating protection

Mode 3 Public Charging Cable

Standard	IEC Type 2
Input Voltage	400 V 3-phase
Nominal Current	32 A
Nominal Power	22 kW
Cable Length	7 m
Weight	5.2 kg

- Comes with velcro for bundling and carrying
- Made of heat-resistant and flame-retardant materials

NIO EL6

Chassis System



- Ultrahigh-Strength Steel & Aluminum Body
- Integral Casting All-Aluminum Rear Floor
- 50:50 Front & Rear Axle Load Ratio
- Five-Link Front Suspension
- Multi-Link Rear Suspension
- Continuous Damping Control (CDC)
- Electric Power Steering (EPS)
- Intelligent Smooth Stop (ISS)
- Front NIO 4–Piston Brake Caliper
- Rear Single-Piston Floating Brake Caliper
- Regenerative Braking System
- Electric Parking Brake (EPB) & Autohold

NIO eL6


Exterior Features



- Moon Theme Exterior Pack
- Dual-Beam LED Headlights
- Adaptive Matrix LED Headlights
- Adaptive Driving Beam
- Adaptive Frontlighting System
- Auto-Levelling Headlights
- Double-Dash Daytime Running Lights
- Adaptive Cornering LED Fog Lights
- LED Sweeping Turn Signals
- illumiBlade Taillight
- Power Panoramic Sunroof & Sunshade
- Automatic Flush Door Handles
- Soft-Close Doors
- Kick-Activated Power Tailgate
- Smart Charge Port Cover (Rear Left)
- Rear Privacy Glass
- Full Laminated Acoustic Glass
- Anti-UV and Heat-Insulating Glass
- Heated Side Mirrors
- Auto-Folding Side Mirrors
- Auto-Dimming Side Mirrors
- Side Mirror Surround Lights
- Automatic Rain-Sensing Windshield Wipers
- Windshield Wipers with Spray Nozzle
- Roof Rail (max. Capacity 75 kg)

NIO eL6

Interior Features



- Sustainable Rattan Decor
- Clean+ Composite & Haptex Decor
- Microfiber Headliner
- Microfiber Leather Steering Wheel
- Electric Tilt & Telescopic Steering Wheel
- Three-Spoke Sport Steering Wheel
- LED Reading Lights
- 256-Color Ambient Lighting
- Extra-Large Illuminated Vanity Mirrors
- Auto-Dimming Rear View Mirror
- Metal Tailgate Sill Plate
- Center Console Open Storage
- Smart Safe Box
- Cargo Underfloor Storage
- Trunk Cover
- Cargo Tie-Downs
- 1x USB Type-A Port (2.5 W)
- 3x USB Type-C Port (60 W)
- 2x 12V Power Socket (Front & Back)
- 2x ISOFIX

NIO EL6

Climate Control System



- 3-Zone Automatic Climate Control
- Heatpump A/C System
- Smart Invisible Air Vents
- Smart Air Quality System
- Ionizer
- PM2.5 Sensor
- Antimicrobial and Anti-Allergen Activated Carbon Air Filter

NIO EL6

Seat System



- Haptex Perforated Artificial Leather Seats
- Front 14-Way Power Seats with 4-Way Lumbar Support and Power Cushion Extension
- Front 4-Way Aviation Headrests
- Front Seat Air Cushion
- Front Seat Memory and Easy Entry
- Front Seat Heating
- Rear 2-Way Headrests
- Rear Seat Electric Backrest Angle Adjustment
- Rear Multifunctional Center Armrest
- Split-Folding Rear Seats (40:20:40)

NIO EL6

Smart Cockpit



- 10.2" HDR Digital Instrument Cluster
- 12.8" AMOLED Center Display
- Enhanced Head-Up Display
- 6.6" Rear HDR Touch Display
- 7.1.4 Immersive Sound System (23 Speakers, 1,000 W, Dolby Atmos)
- EP Sound Effect [1]
- Smart Cabin Camera
- Wireless Charging Pad (Qi, max. 40 W)
- 4K Dash Camera
- Remote Connectivity Control
- Smart Car Finder
- 4G Network
- DAB/Online DAB
- Wi-Fi 6.0
- Bluetooth
- Ultra-Wideband (UWB)
- Digital Key
- 1x UWB-Based Smart Key Fob
- 1x NFC Key Card
- Firmware Over-the-Air (FOTA)
- NIO Auto Maps (Navigation, Real-Time Traffic Data, Pol Search)
- 3rd-Party Service Integration
- User Account System
- NIO Call & eCall

NIO EL6

Assisted and Intelligent Driving Hardware System



NIO Adam
Super Computing

NIO Aquila
Super Sensing

---

33 High-Performance Sensing Units:

- 1x Ultralong-Range High-Resolution LiDAR
- 7x 8MP High-Resolution Camera
- 4x 3MP High-Sensitization Dedicated Camera
- 1x Advanced Driver Monitoring System
- 5x Millimeter-Wave Radar
- 12x Ultrasonic Sensor
- Hands-Off Detection (HOD)
- 2x High-Precision Positioning Unit

NIO eL6

Assisted and Intelligent Driving Features



- Forward Collision Warning (FCW)
- Autonomous Emergency Braking (AEB)
- Blind Spot Detection (BSD)
- Lane Change Alert (LCA)
- Door Open Warning (DOW)
- Rear Cross Traffic Alert with Brake (RCTA-B)
- Front Cross Traffic Alert (FCTA)
- Lane Departure Warning (LDW)
- Lane Keeping Assist (LKA)
- Emergency Active Stop (EAS)
- Emergency Lane Keeping (ELK)
- Advanced Driver Monitoring System (ADMS)
- Intelligent Adaptive Cruise Control (i-ACC)
- Traffic Sign Recognition (TSR)
- Dynamic Environment Simulation & Display (ESD)
- Shiftless Automatic Parking Assist with Fusion (S-APA with Fusion)
- Power Swap with Assisted Parking (PSAP)
- Side Distance Indication System (SDIS)
- Lane Centering Control (LCC)
- Active Lane Change (ALC)
- Go Notifier
- Nearby Summon [1]
- Remote Parking Assistant (RPA) [1]

NIO EL6

Safety Features



- 2x Front Airbags
- 2x Front Side Airbags
- 2x Side Curtain Airbags
- Front Center Airbag
- 360° HD Surround View System
- Front & Rear Parking Radars
- Guardian Mode [1]
- Transparent Chassis
- Direct Tire Pressure Monitoring System (dTPMS)
- Power Child Locks
- Anti-Theft Alarm System
- Pedestrian Warning System
- Anti-Lock Braking System (ABS)
- Electronic Brake-Force Distribution (EBD)
- Traction Control System (TCS)
- Electronic Stability Control (ESC)
- Emergency Brake Assist (EBA)
- Hill Start Assist (HSA)
- Dynamic Wheel Torque Control (DWT)
- Cornering Brake Control (CBC)
- Hill Descent Control (HDC)
- Roll Stability Control (RSC)

NIO eL6

Standard Accessories



- Carpet Interior Mats
- 3x Bottle Fragrance Kit (only for Comfort Package)
- Tire Repair Toolkit [2]
- First Aid Kit
- Warning Triangle
- Safety Vest
- Tow Hook

1. Selected features will be released via Firmware Over-the-Air.

2. Tire repair tool kit includes tire sealant and air pump.

NIO eL6

Warranty

Basic

60 Months/ 150.000 km

Battery

96 Months/ 160.000 km

Anti-Perforation (Corrosion)

120 Months/ unlimited km

Extended NIO Offers

Wheel Alignment

After first 6 Months/ 5.000 km

Wear Parts

Type 1*	**Type 2****	**Type 3*****
6 Months/ 10.000 km	12 Months/ 20.000 km	36 Months/ unlimited km

* Air condition filter, wiper blade

** Brake pad, key battery, fuse and relay (without ignition)

*** 12V auxiliary battery


Duration or mileage, whichever comes first. The warranty periods can be found in the ICS (central instrument screen) of the respective vehicle model.

NIO EL6

Tire Labels

Product Information Sheet

Delegated Regulation (EU) 2020/740			
Supplier name or trademark			**GOODYEAR**
Commercial name or trade designation			**EAGLE F1 ASYMMETRIC 3 SUV**
Tire type identifier	Tire class	**588527**	**C1**
Tire size designation			**255/50R20**
Speed category symbol			**V 240 km/h**
Load-capcity index			**109**
Load version			**XL**
Fuel efficiency class			**A**
Wet grip class			**A**
Ext. rolling noise class	Ext. rolling noise value	**A**	**69 dB**
Tire for use in severe snow conditions			**No**
Tire for use in severe ice conditions			**No**
Date of start of production (Week / Year)			**10/22**
Date of end of production (Week / Year)			**-**
Supplier's address			**Goodyear EPREL Customer Support, Ave nue Gordon Smith, 7750 Colmar-Berg, LU**
Additional information			




Further information and product data can be found at https://eprel.ec.europa.eu/screen/product/tyres

NIO EL6

Tire Labels

Product Information Sheet

Delegated Regulation (EU) 2020/740			
Supplier name or trademark			**MICHELIN**
Commercial name or trade designation			**PILOT SPORT 4 SUV A FRV**
Tire type identifier	Tire class	**140314**	**C1**
Tire size designation			**265/45R21**
Speed category symbol			**W 270 km/h**
Load-capcity index			**108**
Load version			**XL**
Fuel efficiency class			**A**
Wet grip class			**B**
Ext. rolling noise class	Ext. rolling noise value	**B**	**72 dB**
Tire for use in severe snow conditions			**No**
Tire for use in severe ice conditions			**No**
Date of start of production (Week / Year)			**26/21**
Date of end of production (Week / Year)			**-**
Supplier's address			**Service Consommateurs Michelin, Place des Carmes-Déchaux 23, 63000 Clermont-Ferrand, FR**
Additional information			**265/45 R21 108W XL PILOT SP ORT 4 SUV ACOUSTIC FRV MI**





NIO EL6

Tire Labels

Product Information Sheet

Delegated Regulation (EU) 2020/740			
Supplier name or trademark			**PIRELLI**
Commercial name or trade designation			**PZERO**
Tire type identifier	Tire class	**42329**	**C1**
Tire size designation			**265/45R21**
Speed category symbol			**V 240 km/h**
Load-capcity index			**108**
Load version			**XL**
Fuel efficiency class			**B**
Wet grip class			**A**
Ext. rolling noise class	Ext. rolling noise value	**A**	**70 dB**
Tire for use in severe snow conditions			**No**
Tire for use in severe ice conditions			**No**
Date of start of production (Week / Year)			**50/22**
Date of end of production (Week / Year)			**-**
Supplier's address			**Pirelli Contact Center, Viale Piero e Alberto Pirelli 25, Milan, IT**
Additional information			





nio.com/el6

Disclaimer: As NIO will constantly retrofit its products and services, the above information may change and vary accordingly. We will spare no efforts in ensuring information completeness and accuracy. However, due to changing laws and regulations, differences in individual's understanding of relevant information, and untimeliness in information update, actual products and services offered may vary from the information contained in this document. Errors excepted.

For more information, please contact your NIO Fellow or send e-mail to contact.nl@nio.io or call 00 8000 999 6699.